

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

72.23

1932-3

LIBRARY
RECEIVED
★ OCT 19 1932 ★
U. S. Department of Agriculture.

CHOICE WILD PLANTS

Collected From Their Native Haunts, Or Grown By

HOPEDALE NURSERIES

J. W. Griesemer, Prop.

Hopedale, Ill.



Helianthus

Our collectors are located advantageously and can secure almost any native plant for us, if we have the order in time to locate and get the plants.

We operate a general nursery of over 40 acres in actual nurseries, have extensive shaded beds to grow shade plants, and have been in the business here 37 years. We are not unknown in the trade, and number among our Wild Plant Customers, many—very many nationally known men and women. Wild Plants are more and more in demand with the more cultured. It is a growing business.

In many items, especially shrubs, but also many perennials and others, we are able to do heavier plants in nursery grown material. In some items 1 yr. seedlings. Ask for prices. Also ask for 1932 retail list on nursery grown material. It lists very many of the more regularly nursery grown perennials. Hundreds of car loads in trees, evergreens, shrubs, vines and perennials.

It is necessary to revise our list again, account of the changing source of supply in sorts and quantities. Many items we are able to lower in price, some we are omitting.

I want to thank you for the splendid business in the past, and tell you how very much I enjoy doing business with you. Lovers of Wild Plants are surely a mighty fine lot of people. So long as my health permits (I am 68 years 'young'), I hope to continue doing business with you, to our mutual benefit and pleasure.

TERMS.

5 of a sort at 10 rates. 50 at 100 rates. 500 at 1,000 rates. If thousand or more are wanted in any item, or items, send list of wants for special quotations. Packing free, unless crating of tops is necessary on out of season shipments. Crating would be added at cost.

10 days to responsible parties. 30 days to dealers, nurserymen and landscapists. Dealers are entitled to reasonable reductions from these prices on 100 and 1,000 lots. Write for net prices.

Don't fail to note heavy *Price Reductions* in keeping with the times. NOW is the time to buy.

Prices f. o. b. Hopedale, or point of collection. Larger lots are shipped directly from collectors to customers. All goods travel at purchaser's risk and expense. If wanted by Parcel Post be sure to send



Columbine

enough to cover same. If too much is sent, it will be returned promptly.

DISCOUNTS—We offer worthwhile discounts for cash with order on orders \$10.00 up, also on large lots. This varies in accordance with amount of order, sort of stock ordered, availability of stock wanted, our needs for cash at the time, etc. Ask for discount on larger orders. Revised prices are so low we cannot offer a flat rate of discount and be fair with our customers and ourselves.

GUARANTEE—We do not guarantee plants to grow, or produce results. WE DO guarantee all plants to be in prime condition, well packed to reach destination in good order, if not unduly delayed in transit. WE WANT to correct any mistake in grade, count or packing.

SEEDS—We can collect seeds of many of these sorts, if ordered before they ripen. We do not collect many sorts to store.

EXPLANATIONS.

To help our customers in making selections, we name first, the Botanical names. Next the most usual common name. It must be remembered that common names vary with almost each community. Botanical name is same everywhere. Next "Where it Grows" (in nature) to help you know where to plant. "Sun-Sods" means the plant is found in dense sod in the open sun, etc. Next "Color of Flowers." Last, "Time of Bloom," to help arrange flowering season. Remember time is for this latitude. (40½ N.)

PERENNIALS

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
<i>Achillea millefolium</i> , Yarrow, sun-sods, white, June-Aug. -----					\$.10	\$.50	\$ 3.00	Here
<i>Acorus calamus</i> , Sweet Flag, bogs, yellow, June -----					.15	.60	4.00	Here
<i>Actaea alba</i> , White Baneberry, shade-ravines, white, May -----					.20	.80	6.00	H&M.
<i>Actaea rubra</i> , Red Baneberry, shade-ravines, May-June -----					.25	1.00	7.50	M.&S.D.
(Both berries somewhat poison)								
<i>Allium canadense</i> , Wild Meadow Garlic, damp places, white, July -----					.10	.50	2.50	Here
<i>Allium cernuum</i> , Nodding Wild Onion, damp shade, pink, June-July -----					.15	.60	5.00	Here
<i>Amorpha canescens</i> , Lead Plant, open sun, violet, July -----					.15	1.00	6.00	Here
<i>Anemone canadense</i> , White Anemone, open sun, white, May-July -----					.10	.60	4.00	Here
<i>Anemone cylindrica</i> , Thimble Weed, anywhere, white, July-Aug. --					.15	.75	6.00	Here
<i>Anemone quinquefolia</i> , Wood Anemone, part shade, white, May-June -----					.10	.50	4.50	Ind.
<i>Anemone virginica</i> , Tall Anemone, open woods, white, June-Aug. -----					.15	1.00	5.00	Ind.
<i>Anemonella thalictroides</i> , Rue Anemone, woods, white, April-June -----					.15	.65	5.00	HI.&M.
<i>Aplectrum hyemale</i> , Putty Root, rich shade, yellow-purple June -----					.20	1.75		H&Ind.
<i>Aquilegia canadensis</i> , Wild Columbine, anywhere, yellow-red, May-July, Light plants -----					.10	.60	4.00	HI.&M.
2 Yr. plants -----					.15	1.00	6.00	
XX Plants -----					.25	1.50	12.00	
<i>Aralia nudicaulis</i> , Dwf. Spikenard-woods, Green-white, May-June -----					.15	1.00	7.00	"Mich.
<i>Aralia racemosa</i> , Spikenard, ravines, white, June -----					.20	1.50	10.00	HI.&M.
<i>Arctostaphylos</i> , Dragons Mouth, bogs, rose-purple, May-June -----					.30	2.50	10.00	W.&M.
<i>Arisaema dracontium</i> , Dragon Leaved Indian Turnip, open woods, green-purple, May -----					.15	.70	6.00	Here
<i>Arisaema triphyllum</i> , Indian Turnip, open woods, green purple, May -----					.10	.50	4.00	Here
<i>Aristolochia serpentaria</i> , Virginica Snakeroot, open shade, white, June-July -----					.20	1.25		Here
<i>Artemisia serrata</i> , Dusty Miller, sun, greenish yellow, August --					.10	.60	4.00	Here
<i>Asarum canadense</i> , Wild Ginger, rich shade, violet, April-May -----					.10	.50	4.00	Here
<i>Asclepias incarnata</i> , Swamp Milkweed, open flats, pink-lilac, July-September -----					.15	1.00	6.00	Here
<i>Asclepias purpurascens</i> , Purple Milkweed, dry waste, purple, June-August -----					.15	1.25	7.00	Ind.
<i>Asclepias rubra</i> , Red Milkweed, open sun, red, July -----					.20	1.50		Here
<i>Asclepias syriaca</i> , Common Milkweed, fields, lead-lavender, June-August -----					.15	.80	5.00	Here
<i>Asclepias tuberosa</i> , Butterfly Weed, sun-sod, yellow-red, July-September -----					.25	1.50	8.00	Here
<i>Asclepias verticillata</i> , Whorled Milkweed, sun-sods, white, July-August -----					.10	.50	3.00	Here
<i>Asclepias assorted</i> , sun-sods, August-September -----						.60	4.50	Here
<i>Aster cordifolius</i> , Wood Aster, woods, Violet-Blue, Sept.-Oct. --					.15	.50	4.00	Here
<i>Aster novae angliae</i> , New England Aster, sun-sod, purple, July-September -----					.15	1.00	6.00	Here
<i>Aster sagittifolius</i> , Arrow Leaved Aster, sun-sod, blue, September-October -----					.15	.60	5.00	Here
<i>Aster Lar. Sky Blue</i> , Aug.-Oct., anywhere -----					.15	.75	6.00	
<i>Aster assorted</i> , sun-sods, August-September -----						.50	4.00	Here
<i>Baptisia australis</i> , Blue False Indigo, open sun, blue, June-July -----					.15	1.00	8.00	Here
<i>Baptisia bracteata</i> , Bracted False Indigo, open-sun, yellow, May-June -----					.20	1.25	8.00	Here
<i>Baptisia leucantha</i> , Delicate White False Indigo, sun-sod, white July -----					.15	1.10	8.00	Here

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Baptisia tinctoria, Yellow Wild Indigo, open borders, yellow, June-September					.20	1.25		Here
Belamcanda chinensis, Blackberry Lily, anywhere, yellow, July-September					.15	1.00	8.00	Ind.
Calla palustris, Wild Calla, Marshes, white, Aug.-Sept.					.20	1.50	10.00	Wisc.
Callirhoe triangulata, Clustered Poppy Mallow, dry-sandy, purple, August-September					.15	1.00	6.00	Here
Caltha palustris, Marsh Marigold, bogs, yellow, April-May, 1 to 3 plant clumps					.15	1.00	5.00	Mich.
4 to 6 plant clumps					.25	2.00	10.00	
Camassia quamash, Wild Hyacinth, rich, open places, light blue, April-May					.15	1.00	8.00	W.M.&I.
Campanula rapunculoides, False Rampion, open spaces, purplish blue, July-September					.15	1.20	6.00	N.Y.
Campanula rotundifolia, Harebells, anywhere, blue, July-Oct.					.15	1.00	6.00	W.M.&I.
Carex plataginea, Plantain Leaved Carex, rich shade, purple, April-May					.15	.75	5.00	Here
Caulophyllum thalictroides, Blue Cohosh, ravines, white, May					.20	1.00	6.00	H&M.
Chelone glabra, Turtle Head, wet places, white, July-Sept.					.15	.80	6.00	H&N.C.
Chelone lyonii, Pink Turtle Head, swamps, purple, Aug.-Oct.					.20	1.00		I.&N.C.
Chicorium intybus, Common Chicory, roadside, blue, July-Oct.					.15	1.00	6.00	Here
Chimaphila umbellata, Princess Pine, dry woods, white-pink, June-August					.15	1.00	4.50	Mich.
Chrysanthemum leucanthemum, Oxeyed Daisy, anywhere, sun, white, August-October					.10	.60	4.00	Here
Cimicifuga americana, Am. Bugbane, hillsides, Wh. May-June					.15	1.25	7.50	Here
Cimicifuga racemosa, Black Cohosh, open shade, white, June-July					.20	1.50	8.00	N.C.
Claytonia virginica, Spring Beauty, open shade, pink, April-May					.10	.50	4.00	Here
Clintonia borealis, Yellow Clintonia, shade, yellow, May-June					.15	.75	4.50	N.C.M.&I.
Convallaria majalis, Lily of the Valley, part shade, white, May-June					.10	.50	2.50	Here
Coreopsis, assorted, not botanized. Damp borders, yellow, Aug.-Oct.					.15	.75	6.00	Here
Cornus canadensis, Dwarf Cornel, open woods, white, May-July					.20	1.50	10.00	Mich.
Cypripedium acaule, Brown Ladyslippers, upland, brown, May					.20	1.50	10.00	M.N.C.&V.T.
Cypripedium parviflorum, Smaller Yellow Ladyslippers, bogs, yellow, May-July					.20	1.60	11.00	Mich.
Cypripedium pubescens, Large Yellow Ladyslipper, upland, hills, yellow, May					.20	1.60	12.00	Mich.
Cypripedium spectabile, Showy Ladyslippers, bogs, pink, May					.25	2.00	15.00	Mich.
All Cypripediums are sold by the flowering buds. If PLANTS are wanted instead of buds, be sure to state so. You will be billed by the number of flowering buds the plants contain.								
Delphinium tricornis, Dwarf Larkspur, sun or shade, dark blue, May-June					.15	.75	6.00	H&I.
Dicentra canadensis, Squirrel Corn, deep shade, pinkish, white, April-May					.10	.40	3.00	H&M.
Dicentra cucullaria, Dutchman Breeches, deep shade, white, April-May					.15	.60	4.00	Here
Dicentra eximia, Wild Bleeding Heart, anywhere, deep pink, May-Frost					.20	1.50	12.50	N.C.
Dodecatheon media, Shooting Star, sun-sod, pink, May-June					.15	.75	5.00	H&I.
Echinacea angustifolia, Purple Cone Flower, dry gravelly, purple, June					.15	1.00	7.00	Here
Echinacea purpurea, Garden Purple Cone Flower, rich soil, purple-crimson, June-frost					.15	1.00	7.00	Here
Epilobium angustifolium, Great Willow herb, dry soils, purple, early					.10	.75	6.00	Mich.
Equisetum hyemale, Scoring rush, sunny places, green-yellow, May-June					.10	.50	4.00	Here
Eryngium aquaticum, Button Snake Root, sun-sod, white, July					.15	.60	5.00	Here
Erythronium albidum, White Adders Tongue, shade, April-May					.10	.75	6.00	Here
Erythronium americanum, Yellow Adders Tongue, shade, April-May					.10	.75	6.50	Mich.
Eupatorium coelestinum, Mist Flower, anywhere, blue-purple, July-Sept.					.15	1.00	5.00	H&I.
Eupatorium maculatum, Spotted Joe Pye Weed, moist places, sun, pink-purple, Aug.-Sept.					.25	1.25	10.00	Here
Eupatorium perfoliatum, Boneset, wet places, white, July-Aug.					.15	1.00	7.50	Here
Eupatorium purpureum, Joe Pye Weed, open shade, purple, July-Sept.					.15	1.00	6.00	Here
Eupatorium urticaefolium, White Snake Root, open shade, white, Sept.-Nov.					.10	.75	4.00	Here
Euphorbia corollata, Flowering Spurge, open sun, white, July-Sept.					.15	.80	6.00	Here
Euphorbia cyparissias, Cyprus Spurge, sun yellow, June					.10	.50	4.00	Here
Filipendula rubra, Pink Meadowsweet, Prairie, damp sun, June-July					.15	1.00	6.00	Here
Gentian andrewsii, Closed Gentian, damp sun, blue-pink, August-October					.15	1.00	6.00	M.Vt.&N.Y.
Gentian saponaria, Soapwort, damp soil, light blue, August-Oct.					.15	1.00	8.00	Ind.
Geranium maculatum, Crane's Bill, anywhere, pink, May-June					.10	.60	4.50	Here

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Habenaria dilatata, White Bog	Habenaria, bogs, white, June-Sept.				.20	1.25	6.50	Mich.
Habenaria psycodes, Purple Fringed	Habenaris, wet places, lilac, July-August				.25	2.00	15.00	Wisc.
Helianthus giganteus, Tall Sunflower,	sun-sod, yellow, September-October				.15	1.00	6.00	Here
Helianthus mollis, Hairy Sunflower,	sun-sod, yellow, July-Sept.				.15	1.25	7.00	Here
Helianthus tuberosa, Artichoke, Waste,	sunny places, yellow, Aug-Oct.				.15	1.00	6.00	Here
Helianthus, assorted, sun-sod, yellow,	July-Nov.				.15	1.00	6.00	Here
Hepatica acutiloba, (Evergreen) deep	shade, pink, April-May							
1 to 2 plant clumps					.10	.40	1.50	Here
3 to 4 plant clumps					.20	.80	3.50	
5 to 6 plant clumps					.25	1.50	9.00	
7 to 10 plant clumps					.30	2.00	15.00	
Heuchera americana, Alum Root, dry-rocky	woods, greenish white, May-August				.10	.75	4.00	Ind.
Hieracium aurantiacum, Orange or Tawny	Hawkweed, waste places, orange-red, June-Sept.				.15	1.00	6.00	Mich.
Houstonia caerulea, Bluets, moist places,	blue, May, small clumps				.10	.75	5.00	Vt.&Mich.
Hydrastis canadensis, Golden Seal, rich	shade, green, white, May				.10	.60	4.50	Here
Hypericum cistifolium, Round Podded St.	John's Wort, sun, yellow, July-August				.10	.60	4.00	Here
Inula helenium, Elecampane, waste places,	yellow, July-Sept.				.20	1.50	10.00	Here
Iris cristata, Crested Mt. Iris, shade, blue,	April-May				.10	.80	6.00	N.C.
Iris cristata lacustris, Dwarf Lake Iris,	water edge, or shade, blue, May				.15	1.00	7.00	Mich.
Iris, German, 20 colors, May, excellent	sorts				.15	1.00	5.00	Nur.
Iris pumila, Dwf. Blue Iris, borders, sun,	April-May				.10	.60	4.50	Nur.
Iris pumila Dwf., sky blue iris, April-May					.15	1.00	7.50	Nur.
Iris pumila, dark blue, large flowering,	fragrant				.15	1.00	8.00	
Iris pumila alba, Dwf. White Iris, May					.15	1.00	7.00	Nur.
Iris pseudocorus, Wild Yel. I., Yel., May-June					.15	1.00	8.00	
Iris pumila sulphurea, Dwarf Yellow Iris, May					.15	1.00	6.00	Nur.
Iris siberica (or Spanish), deep blue and	snow white, May				.15	1.00	6.00	Nur.
Iris verna, Dwarf Iris, hillsides, shade,	violet-blue, April-May				.15	1.00	5.00	N.C.
Iris versicolor, open sloughs, blue, May					.15	.75	5.00	Here
Iris pumila, dark blue, Large, frag.					.15	1.00	8.00	
Isopyrum biternatum, False Rue Anemone,	rich shade, white, April-May				.10	.50	4.00	Here
Jeffersonia diphylla, Twin Leaf, rich	shade, white, May-June				.15	1.00	7.50	Ind.
Krigia virginica, Cyntha, open woods,	yellow, June-July				.15	1.00	7.00	H&I.
Lepachys pinnata, Gray Headed Cone	Flower, sunny roadsides, yellow, rays, June-Sept.				.15	1.00	5.00	Here
Lespedeza frutescens, Bush Clover, dry	soil, pinkish, purple, Aug-Sept.				.15	1.00	7.00	H&I.
Liatris pycnostachya, Kansas Gay	Feather, reddish purple, rich soil, July-August				.15	1.00	7.00	Here
Liatris scariosa, Button Blazing Star,	sun, dry, purple, Aug-Sept.				.10	.75	5.00	Here
Lilium canadensis, Wild Canadian Lily,	anywhere, yellow, June-July				.20	1.50	10.00	N.H.&Here
Lilium philadelphicum, Wood or Wild	Red Lily, open shade, red-yellow, June				.15	1.00	7.00	Mich.
Lilium superbum, Turks Cap Lily,	meadow, yellow, June-July				.20	1.75	12.00	N.H.Minn&H
Lithospermum angustifolium, Narrow	Leaved Puccoon, dry soil, bright yellow, April-July				.15	1.00	7.50	Ind.
Lithospermum canescens, Puccoon,	open sun, yellow, May-June				.15	.80	6.00	Here
Lithospermum carolinensa, Hairy	Puccoon, South hillsides, yellow, May-June				.15	.75	6.00	H&I.
Lobelia cardinalis, Cardinal Flower,	moist-rich soil, cardinal, July-Sept.				.10	.75	6.00	M.N.C&H.
Lobelia siphilitica, Great Blue	Lobelia, moist soil, blue, July-Oct.				.10	.75	6.00	Here
Lupine perennis, Blue Lupine, dry-sandy	soil, blue, May-June				.20	1.50	9.00	Ind.
Marrubium vulgare, Horehound, waste	places, white, June-August				.15	.50	4.00	Here
Medeola virginica, Indian Cucumber	Root, shaded, hillsides, green-yellow, Sept.				.10	.60	4.50	Mich.
Melanthium virginicum, Bunch Flower,	sun-sod, white, July				.15	.80	6.50	Here
Mentha piperita, Peppermint, moist,	rich soil, white, May				.10	.50	3.00	Here
Mentha spicata, Spearmint, moist,	rich soil, white, May				.15	.50	3.00	Ind.
(Ask for prices on large lots for commercial plantings in Mints)								
Mertensia virginica, Blue Bells, rich,	shade, April-May				.20	1.50	10.00	Here
XX Grade					.15	1.00	5.00	
Firsts					.10	.50	2.50	
Seconds								
(Ask for prices in large lots)								
Mitella diphylla, Two Leaved Bishop's	Cap, rich woods, white, April-May				.15	1.25	6.00	Ind.
April-May					.15	1.25	6.00	Ind.
Monarda fistulosa, Pink Horsemint,	sun-sod, pink, July-Sept.				.15	.60	4.00	Here
Nepeta cataria, Catnip (biennial)	anywhere, white, June-on				.10	.40	3.00	Here

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Oenothera biennis, Common Evening Primrose, (biennial) sun, yellow, June-Sept. 1 yr.					.10	.50	4.00	H&M.
Oenothera speciosa, Showy Evening Primrose, sun, white-pink, May-August					.20	1.50	10.00	Here
Orchis spectabilis, Showy Orchids, rich woods, pink, April-June					.25	2.25	17.50	Ind.
Oxalis violacea, Violet Sheep Sorrel, sun-sod, violet, May					.10	.50	4.00	Here
Panax quinquefolia, Ginseng, rich shade, white, May-June					.10	.75	5.00	Ga.N.C.&H.
Parnassia caroliniana, Grass of Parnassus, swamps, white, June-September					.10	.60	4.50	Mich.
Pedicularis canadensis, Wood Betony, sun, yellow, May					.15	1.00	7.50	Here
Pentstemon hirsutus, Hairy Beards Tongue, sun-sod, Pink-White, June-July					.10	.75	5.00	Ind.
Penstemon grandiflorus, Large Fld. Beardstongue, open sun, large, blue, May-July					.15	1.00	7.50	
Pentstemon albidus, Wh. B., open sun, White, June-Aug.					.15	1.00	6.50	
Petalostemum candidum, White Prairie Clover, sun-sod, July-Aug.					.15	.75	5.00	Here
Petalostemum villosum, Purple Prairie Clover, sun-sod, July-Aug.					.15	.75	5.00	Here
Phlox bifida, Cleft Phlox, dry places, mixed, April-June					.15	1.00	7.00	Here
Phlox bifida alba, White Cleft Phlox, dry places, April-June					.15	1.25	9.00	Here
Phlox divaricata alba, White Sweet Williams, open woods, white, May-June					.15	1.00	8.00	Here
Phlox divaricata, Sweet Williams, open woods, Lilac to Blue, May-June								Here
Phlox glaberrima, Tall Wild Prairie Phlox, Prairies, Pink, June-July								Here
Phlox pilosa, Dwarf Prairie Phlox, prairies, red, May-June								Here
Either of the above unpriced plants								
of 1 stem					.10	.25	1.50	
2 to 4 stems					.10	.50	4.00	
5 to 6 stems					.15	1.00	7.00	
7 to 10 stems					.20	1.50	10.00	
10 stems up					.25	2.00	15.00	
Phlox pilosa alba, White Prairie Phlox, open sun, May-June					.15	1.00	8.00	Here
Phlox subulata, Ground Phlox, anywhere, pink, lavender and white, April-June, Divisions					.15	1.00	6.00	Nur.
Physostegia virginiana, False Dragon Head, sun-sod, pink, June-August					.15	.75	5.00	Here
Physostegia virginiana alba, White False Dragon Head, sun-sod, white, May-September					.15	.80	6.00	Nur.
Podophyllum peltatum, May Apples, Mandrake, open shade, white, May-June					.10	.60	4.00	Here
Polemonium reptans, Greek Valerian, rich shade, blue, May					.15	.60	5.00	Here
Polygonatum biflorum, Solomon Seal, shade, green-white, May					.10	.65	5.00	Here
Polygonatum commutatum, Giant Solomon Seal, shade, green-white, May					.15	1.00	7.00	Here
Prunella vulgaris, Selfheal, waste places, violet, May-October					.15	1.00	6.00	Mich.
Pyrola elliptica, Shinleaf, dry shade, green-white, May					.10	.75	6.00	Ind.
Ranunculus acris, Common Buttercup, borders or sun, yellow, May					.10	.60	4.50	H&M.
Ranunculus repens, Creeping Buttercup, sun, yellow, May					.10	.60	4.00	H&M.
Rudbeckia laciniata, Wild Golden Glow, open shade, yellow, July-August					.15	.60	4.00	Here
Ruellia pendunculata, Stalked Ruella, sun, light purple, June-Aug.					.15	1.00	6.00	Here
Sanguinaria canadensis, Blood Root, deep shade, white, April-May					.10	.50	4.00	Here
Saponaria officinalis, Bouncing Bet, anywhere, pink, June-Oct.					.15	.65	4.50	Here
Sarracenia purpurea, Pitcher Plant, bogs, purple, June					.15	.65	5.00	Mich.
Saururus cernuus, Lizard's Tail, swamps, white, June-August					.15	1.00	7.00	Here
Saxifraga pennsylvanica, Swamp Saxifrage, swamps, green, May					.15	1.25	8.00	Ind.
Scutellaria valericulata, Skull Cap, moist places, violet, June-Aug.					.15	1.00	6.00	Here
Sedum ternatum, Wild Stone Crop, rocky woods, Aug.-Sept.					.10	.50	4.00	Ind.
Senecio aureus, Golden Ragwort, open, dry woods, yellow, May-July					.15	.75	5.00	Here
Silene pennsylvanica, Wild Pink, dry, rocky soil, pink, May-Sept.					.20	1.50	10.00	Mich.
Silene stellata, Star Campion, open shade, white, July					.15	.75	5.50	Here
Silene virginica, Fire Pink, dry woods, bright red, May-June					.15	1.00	6.50	Ind.
Silphium laciniatum, Compass Plant, sun-sod, yellow, July-Aug.					.20	1.50	8.00	Here
Silphium perfoliatum, Indian Cup, rich, damp soil, yellow, July-September					.20	1.50	7.50	Here
Silphium terebinthaceum, Prairie Dock, sun, yellow, July-August					.20	1.75	9.00	Here
Sisyrinchium angustifolium, Blue Eyed Grass, sun-sod, blue, May-June, Clumps					.15	.75	5.00	Here
Smilacina racemosa, False Solomon Seal, open woods, white, May-July					.15	.75	5.00	Here
Smilacina stellata, Star Flowered Solomon Seal, moist shade, white, May-July					.15	.75	5.00	Ind.
Solidago canadensis, Canadian Golden Rod, open sun, borders, August-October					.15	.80	5.00	H.M.&I.
Solidago, Golden Rod, assorted, open sun, yellow, Aug.-Oct.					.15	.75	4.50	H.M.&I.
Solidago bicolor, White, G. rod					.15	1.00	8.00	Vt.
Spiranthes cernua, Lady's Tresses, swamps, white, Aug.-Oct.					.15	1.00	8.00	Mich.
Stylophorum diphyllum, Yellow Poppy, Calendine, rich, open woods, yellow, May-September					.20	1.50	10.00	Ind.
Symplocarpus foetidus, Skunk Cabbage, bogs, yellow, February-March					.20	1.50	10.00	Here
1 Yr. Seedlings					.15	.75	6.00	Here

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Tanacetum vulgare, Tansey, anywhere, yellow, June -----					.15	.60	4.50	Here
Thalictrum dioicum, Dwarf Meadow Rue, open woods, greenish white, April-May -----					.15	1.00	5.00	Mich.
Thalictrum polygamum, Tall Meadow Rue, open shade, white, June-July -----					.15	.75	4.50	Here
Tradescantia bracteata, Dwarf Pink Spiderwort, open shade, pink, May-July, singles -----					.15	1.00	9.00	Here
Tradescantia pilosa, Zig Zag Spiderwort, moist, open shade, lilac-blue, June-Sept., singles -----					.10	.60	4.00	Here
Tradescantia virginica, Spiderwort, sun or woods, purplish, May-August, singles -----					.10	.60	3.00	Here
Small Clumps -----					.15	1.00	6.00	Here
Tradescantia virginica alba, White Spiderwort, anywhere, white, May-August -----					.20	1.50	11.00	Nur.
Tradescantia virginica nina, Dwarf Blue Spiderwort, anywhere, blue, April-July, Singles -----					.10	.75	5.00	Here
Small Clumps -----					.15	1.25	8.00	
Trillium grandiflorum, Large White, Trilliums, shade, white, May-June -----								
XX grade -----					.15	1.00	5.00	Here
Firsts -----					.10	.75	3.00	Here
Seconds -----					.10	.30	1.00	Here
Trillium nivale, Dwarf White Trilliums, deep shade, white, early April -----					.10	.60	4.00	Here
Trillium recurvatum, Brown Trillium, open shade, May-June -----					.10	.50	3.50	Here
Triosteum, perfoliatum, Horse Gentian, open shade, purple, May-June -----					.20	1.50	10.00	Here
Typha latifolia, Cat Tails, swamps, yellow, July-Aug. -----					.15	1.00	7.00	Here
Uvularia perfoliata, Bellwort, rich shade, yellow, May-June --					.10	.60	5.00	Here
Verbascum thapsus, Great Common Mulen (Biennial), pastures, yellow, June-Sept. -----					.10	.75	5.00	Ind.
Verbena hastata, Blue Verbane, moist places, sun, purple, July-Sept. -----					.15	.60	5.00	Here
Verbena stricata, Mullen Leaved Verbane, dry pastures, blue, August-Sept. -----					.15	.50	3.00	Here
Vernonia altissima, Tall Iron Weed, open sun, violet, July-Oct. -----					.20	1.00	6.00	Here
Veronica virginica, Culvers Root, open shade, white, July-August -----					.15	.60	4.00	Here
Viola blanda, White Violet, moist, open shade, May-June -----					.10	.50	4.00	Here
Viola canadensis, Canada Violet, wooded hillsides, white, May-September -----					.10	.60	4.50	Mich.
Viola lanceolata, Lance Leaf or White Violet, bogs, white, April-June -----					.15	1.00	7.00	Ind.
Viola palmata, Palm Leaved Violet, sun-sod, blue, May-June -----					.10	.60	5.00	Here
Viola papilionacea, Common Blue Violets, open shade, May-June -----					.10	.40	3.00	Here
Viola pedata, Bird's Foot Violet, sun-sod, blue, May-June, singles -----					.10	.50	3.00	Here
Small Clumps -----					.15	.75	7.00	Here
Viola pedata bicolor, Two Colored Bird's Foot Violet, sun, all summer, dark and light blue, singles -----					.15	1.25	8.00	Here
Small Clumps -----					.25	2.00	15.00	Here
Viola pubescens, Common Yellow Violet, open shade, yellow, May -----					.10	.50	4.00	Here
Viola sagittata, Oval Leaved Violet, fields, and hillsides, violet, April-May -----					.15	1.00	7.00	Ind.
Viola triloba, Three lobed Violet, dry woods, deep violet, April-May -----					.15	1.00	6.50	Ind.
Nearly all violets have a light, Fall blooming season.								

FERNS

These may be moved at almost any season but handle best in Fall, and well in Spring. If moved in growing season, tops on, crating tops, added at cost.

Prices for regular grades. Light plants cheaper, Extra heavy, higher.

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Adiantum pedatum, Maiden Hair, banks or flats, Light sods --					\$.10	\$.50	\$ 2.50	Here
Medium sods -----					.15	.75	4.50	Here
Heavy SodS -----					.20	1.25	9.00	Here
Asplenium angustifolium, Narrow Leaved Spleenwort, shade -----					.15	1.00	7.00	H&I.
Asplenium Felix femina, Lady Fern, open shade -----					.15	1.00	8.00	Here
Asplenium thelypteroides, Silvery Spleenwort, rich woods -----					.15	1.00		Ind.
Botrychium ternatum, Ternate Grape Fern, rather dense shade, rich soil -----					.15	1.25	10.00	Here
Cystopteris bulbifera, Bulbet Bladder Fern, moist flats -----					.10	.60	4.00	Ind.
Cystopteris fragilis, Fragile Bladder Fern, moist flats -----					.10	.50	3.00	Here

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Dicksonia punctilobula,	Hay Scented Fern	-----	-----	-----	.10	.50	2.50	Tenn.
Dryopteris hexagonoptera,	Broad Beech Fern,	shade	-----	-----	.10	.60	4.00	Here
Onoclea sensibilis,	Sensitive Fern,	flats	-----	-----	.15	.75	5.50	Here
Onoclea struthiopteris,	Ostrich Fern,	good foundation	fern	-----	.20	1.50	9.00	M.&N.Y.
Osmunda cinnamomea,	Cinnamon Fern,	hillsides,	open shade	-----	.20	1.25	8.00	T.&N.C.
Osmunda claytonia,	Interrupted Fern,	hillsides,	open shade	-----	.25	1.50	9.00	N.C.
Osmunda regalis,	Royal Fern,	hillsides,	open shade	-----	.20	1.25	8.00	T.&N.C.
Pollaea atropurpurea,	Purple Cliff Break,	Limestone Cliffs	-----	-----	.15	1.25	9.00	Ind.
*Polypodium vulgare,	Common Polypody Fern,	Rock and Log cover	-----	-----	.10	.75	4.50	Mich.
*Polystichum (Aspidium)	acrostichoides, Christmas	(Evergreen)	-----	-----	.16	.50	4.25	H.T.I.
Polystichum (Aspidium)	goldianum, Goldies Fern,	rich woods	-----	-----	.25	1.50	12.50	I.&M.
*Polystichum (Aspidium)	marginalis, Evergreen Wood,	rich shade	-----	-----	.15	.75	6.50	M.&N.Y.
*Polystichum (Aspidium)	spinulosum, Spinulose Wood	(Evergreen)	-----	-----	.15	.75	6.00	M.&Vt.
Polystichum (Aspidium)	thelypteris, Marsh Fern	-----	-----	-----	.15	1.00	5.00	Here
Pteris aquilina,	Brake, Eagle Fern,	stands lots of sun	-----	-----	.15	1.00	7.00	H.I.&M.
Mixed lots, taller,	to finish 18 in. up	-----	-----	-----	.15	1.00	6.50	Here
Mixed lots of Ferns	to suit our convenience	-----	-----	-----	.10	.75	5.00	H.&I.

* Sorts with this mark are evergreen.

VINES

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Ampelopsis englemanni,	Clinging Am. Ivy,	3 Yr. Heavy	-----	-----	\$.25	\$2.00		Nur.
Ampelopsis englemanni,	collected, (mixed some with Am. Ivy)	R.L.	-----	-----	.10	.75	5.00	Here
Ampelopsis quinquefolia,	American Ivy,	rooted layers	-----	-----	.10	.50	4.00	Here
Medium plants	-----	-----	-----	-----	.15	1.25	8.00	Here
Heavy, Nursery grown	-----	-----	-----	-----	.20	1.50		Here
Apois tuberosa,	Ground Pea,	brownish purple,	moist places	-----	.15	1.00		Ind.
Callirhoe involucrata,	Low Poppy Mallow,	violet-red,	May-Nov.	-----	.15	1.00	7.50	Here
Celastrus scandens,	Bittersweet,	thickets,	red berries	-----	.15	1.00	5.00	Here
Clematis viorna,	Leather Flower,	sun-sod,	blue, July-Aug.	-----	.20	1.50	10.00	Here
Clematis virginiana,	Virgins Bower,	border thickets,	white, August-September	-----	.15	1.00	6.50	H.M.&I.
Convolvulus arvensis,	Lesser Binder Weed,	sun,	pink-white, July-Sept.	-----	.15	.75	5.00	Here
Convolvulus sepium,	Greater Binder Weed,	sun,	pink, June-Sept.	-----	.15	.75	5.00	Here
Dioscorea villosa,	Wild Yam,	underbrush,	greenish-red,	June-July	.15	1.00	7.50	Here
Euonymus obovatus,	Trailing Waahoo,	shade,	greenish-yellow,	April	.10	.60	3.00	Ind.
Gaultheria procumbens,	Spicy Wintergreen,	shade,	white, July, Clumps	-----	.20	1.50	7.00	M.&N.C.
Humulus lupulus,	Hop Vine,	anywhere,	yellow, July	-----	.15	1.00	5.00	Here
Ipomoea pandurata,	"Man of the Earth",	river bottoms,	purple, May-September	-----	.75	5.00	35.00	Here
Lonicera dioica,	Wild Yellow Honeysuckle,	yellow,	anywhere, May-June	-----	.20	1.00	7.00	Here
Lycium halimifolium,	Matrimony Vine,	purple, berries,	orange red, May-August	-----	.15	1.00	7.00	Here
Lysimachia nummularia,	Money Wort,	moist places,	June-August	-----	.10	.50	3.00	Here
Menispermum canadense,	Wild Sarsaparilla,	thickets,	white, May	-----	.15	1.00	5.00	Here
Mitchella repens,	Partridge Berry,	shade,	white, April-May, Clumps	-----	.20	1.25	7.00	Here
Nepeta hederacea,	Ground Ivy,	shade,	purple, May-June	-----	.10	.50	3.00	Here
Smilax herbacea,	Carriion Flower,	moist meadows,	border, white, black berries, April-June	-----	.20	1.00	6.50	Here
Smilax rotundifolia,	Cat Brier,	moist thickets,	blue berries	-----	.20	1.00	7.00	Here
Tecoma radicans,	Trumpet Creeper,	anywhere,	orange-scarlet, all Summer	-----	.20	1.00	6.00	Here
Vinca minor,	Ground Myrtle,	anywhere,	blue, May-June	-----	.15	.60	3.50	H.M.&I.
Vitis,	Wild Grape,	mixed seedlings,	anywhere, yellow, May, Fragrant	-----	.15	.75	4.00	Here

SHRUBS

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Shrubs, Trees and Vines, with woody tops, must now be inspected, before shipping them out. PLEASE SEND ORDERS EARLY to allow us to collect them for inspection all together. Later orders must be sent on to Urbana for inspection, causing loss of time and money. Late orders will be delayed for this inspection. Early orders are gotten together, and an inspector comes out and inspects all together. Perennials require no inspection in this state. This explanation may save you vexation, account of delays on late orders, for inspection of woody topped items.								
Ceanothus americanus, New Jersey Tea, white, July -----					\$.15	\$1.00	\$ 7.00	Here
Cornus florida, White Flowering Dogwood, white, June-July, 2 to 3 ft. New York -----					.15	1.00	8.00	N.Y.
Cornus paniculata, Brown Dogwood, white, June-July, 2 to 3 ft. --					.15	1.00	6.00	Here
Cornus stolonifera, Red Osier Dogwood, succors, white, May-August, 18 to 36 in. -----					.15	.75	5.50	Mich.
Corylus americana, Hazel Nut, Succors, 2 to 3 ft. -----					.15	.75	4.00	Here
Clumps 3 to 4 ft. -----					.25	1.50	10.00	Here
Crataegus, Mixed Sdgs, white, May, 2 to 3 ft. -----					.20	1.50	10.00	Here
Diervilla trifida, Wild Weigela, pale yellow, May-Sept., 6 to 18 in. -----					.15	1.00	6.00	N.Y.
Euonymus americana, Brook Waahoo, purple, June, 2 to 3 ft. --					.15	.75	6.00	Tenn.
Euonymus atropurpurea, Waahoo, purple, June, 2 to 3 ft. -----					.15	1.00	7.00	Here
Hydrangea aborescens, Wild Hydrangea, white, June-July, Succors Clumps -----					.15	.75	4.00	Here
					.25	1.50	10.00	Here
Malus coronaria, Wild Crab, pink, May, succors, 2 to 4 ft. -----					.15	.80	6.00	Here
Prunus americana, Transplanted, 5 to 7 ft. -----					.35	3.00	22.50	
Rhus canadensis (Aromatica) Fragrant Sumac, anywhere, yellow, May-June, 18 to 36 in. -----					.15	1.25	10.00	Here
Rhus canadensis, 36 to 41 in. -----					.30	2.50	20.00	Nur.
Rhus copallina, Dwarf Sumac, green, August, 1 to 2 ft. -----					.15	.75	5.00	Tenn.
Rhus glabra, Smooth Sumac, anywhere, white, July, 2 to 3 ft. --					.10	.50	4.00	Here
Rhus typhina, Staghorn Sumac, anywhere, white, July, 2 to 4 ft. -----					.15	.75	6.00	N.Y. & Tenn.
Ribes, Wild Gooseberry, open woods, yellow, April -----					.15	.75	5.00	Here
Rosa blanda, Smooth Wild Rose, pink, June-July, anywhere --					.15	.75	5.00	H. & Mich.
Rosa humilis, Dwarf Prairie Rose, pink, sun-sod, June-September					.15	.85	5.00	Here
Rosa lucida, Thorny Rose, pink, anywhere, June-July -----					.15	.75	5.00	Mich.
Rosa nitida, Dwarf Rose, pink, May-July -----					.15	.75	5.00	Here
Rosa setigera, Prairie Climbing Rose, open border, pink, June-July					.15	1.25	8.00	Here
Rubus, Wild Blackberry, sun or open shade -----					.10	.50	3.00	Here
Rubus, Wild Raspberry, (black), sun or open shade -----					.10	.50	3.00	Here
Rubus, Wild Dewberry, open sun -----					.15	.60	4.00	Here
Rubus odoratus, Flowering Raspberry, violet, anywhere, June-Sept. -----					.15	.80	6.00	N.Y. & M.
Sambucus canadensis, Black Berried Elder, white, June-July, 2 to 4 ft. -----					.10	.50	3.50	Here
Sassafras variifolium, Sassafras, (hard to Trnsp.) -----					.15	1.00	8.00	Here
Staphylea trifolia, Bladder Nut, yellow, June, 2 to 4 ft. -----					.15	.80	6.00	Here
Symphoricarpos vulgaris, Indian Currant, 15 to 30 in. -----					.15	.60	4.00	Here
Viburnum acerifolium, Maple Leaved Arrow Wood, white, May, 1 to 3 ft. -----					.15	.75	5.00	T. & N.Y.
Viburnum prunifolium, Black Haw, white, May, 2 to 3 ft. -----					.15	1.00	6.00	Here
Zanthoxylum americanum, Prickly Ash, open shade, yellow, red berries, May, 2 to 3 ft. -----					.15	1.00	5.00	Here

HOPEDALE NURSERIES
Hopedale, Illinois